## **REFERENCES**

- Ageta, Y. and Kadota, T. (1992): Predictions of changes of glacier mass balance in the Nepal Himalaya and Tibetan Plateau: a case study of air temperature increase for three glaciers. Annals of Glaciology, Vol. 16, pp. 89-94.
- Agarwal, P. K. (2009): Global Climate Change and Indian Agriculture. Indian Council of Agricultural Research, New Delhi.
- Alternate Hydro Energy Centre, IIT, Roorkee (2011): Assessment of Cumulative Impact of Hydropower Projects in Alaknanda and Bhagirathi Basins, pp. 6-8.
- Anbalagan, R. and Parida, Sujata (2013): Geoenvironmental problems due to Harmony landslide in Garhwal Himalaya, Uttarakhand, India, International Journal of Emerging Technology and Advanced Engineering, Vol. 3, Special Issue 3: ICERTSD, pp. 553-559.
- APHA (1995): American Public Health Association Standard Method for the examination of water and waste water, 19<sup>th</sup> edition, American Public Health Association, Washington DC, USA.
- Arora Nishant (2006): Geo-spatial analysis of lower Mandakini valley for resources utilization pattern and process, unpublished PhD thesis, Garwhal University, Kumaun, Garhwal, Uttarakhand.

- Asthana, A.K.L. and Asthana, H. (2014): Geomorphic control of cloudbursts and flash floods in Himalaya with special reference to Kedarnath area of Uttarakhand, India; International Journal of Advancement in Earth and Environmental Sciences, Vol.2, No.1, pp. 16-24.
- Ballabh, Hari (2008): Landform analysis and hydrological responses of Dhundsir Gad, Alaknanda basin, unpublished PhD thesis, Garwhal University, Kumaun, Garhwal, Uttarakhand.
- Balram R., Ramanaiah, S. and Harinath, V. (2013): Geo Environmental Studies of Ganganeru River Basin, Kadapa District, Andhra Pradesh, India, International Journal of Science and Research, Vol. 2, No. 5, pp. 458-464.
- Barnard, Patrick L., Owen, Lewis A., Sharma, Milap C. and Finkel, Robert C. (2001): Natural and human-induced land sliding in the Garhwal Himalaya of northern India, Geomorphology, Vol. 40, pp. 21-35.
- 11. Basistha, Ashoke, Arya, D. S. and Goel, N. K. (2009): Analysis of historical changes in rainfall in the Indian Himalayas, International Journal of Climatology, Vol. 29, pp. 555–572.

- Basistha A., Goel, N. K., Arya, D. S. and Gangawar, S. K. (2007): Gangawar spatial pattern of trend in Indian sub–divisional rainfall. Jalavigyan sameekha, Vol. 22, pp. 47–57.
- Behera, M. D, Patidar, N., Chitale, V. S., Behera, N., Gupta, D., Matin, S., Tare, V., Panda, S. N. and Sen , D. J. (2014): Increase in agricultural patch contiguity over the past three decades in Ganga River Basin, India; Current Science, Vol. 107, No. 3.
- 14. Benn, D. I. and Owen, L A., (1998): The role of the South Asian monsoon and the mid-latitude westerlies in controlling Himalayan glacial cycles: review and speculative discussion, Journal of the Geological Society, London, Vol. 155, pp. 353-363.
- 15. Bhutiyani, M.R., Kale, V.S. and Pawar, N.J. (2007): Long-term trends in maximum, minimum and mean annual air temperatures across the Northwestern Himalaya during the twentieth century, Climate change, Vol. 85, pp. 159-177.
- 16. Bookhagen, Bodo and Burbank, Douglas W. (2009): Toward a complete Himalayan hydrological budget: Spatiotemporal distribution of snowmelt and rainfall and their impact on river discharge, Journal of Geophysical research, Vol. 115, F03019.
- Boruah, J. K. (2000): Geomorphic study of Lower Subansiri Basin, Assam;
  Unpublished P.hD Thesis, North Eastern Hill University, Shillong, Meghalaya.

- Bruvold, W.H. and Ongerth, H.J. (1969): Taste quality of mineralized water. Journal of American Water Works Association, Vol. 61.
- 19. Burton, I., Kates, R.W. and White, G.F. (1978): The Environment as Hazard, New York: Oxford University Press.
- 20. Central Water Commission (2013): Basin-wise Environmental Impact Assessment Study on Subansiri Sub-basin in Arunachal Pradesh, Revised interim report, Vol. 1.
- Central Water Commission (2014): Cumulative Impact and Carrying Capacity Study of Subansiri Sub Basin including Downstream Impacts, Final Report, Annexure – Volume – II.
- 22. Centre for Inter-Disciplinary Studies of Mountain & Hill Environment (CISMHE) (2012): Environmental impact and management plan for Alaknanda H.E. Project, Uttarakhand.
- 23. Chakrapani, G.J.and Saini, R.K. (2009): Influence of monsoon on the variations in water discharge and sediment load in the Alaknanda and Bhagirathi rivers in Himalayas, India. Journal of Asian Earth Sciences, Vol. 35, No. 6, pp. 545-553, Elsevier Publication.

- 24. Chitra, C., Alaguraja, P., Ganeshkumari, K., Yuvaraj, D. and Manivel, M. (2011): Watershed characteristics of Kundah sub basin using Remote Sensing and GIS techniques, International Journal of Geomatics and Geosciences, Vol. 2, No. 1, pp. 311-335.
- 25. Chauhan, Malavika (2010): A perspective on Watershed development in the Central Himalayan State of Uttarakhand, India, International Journal of Ecology and environmental Sciences, Vol. 36, No. 4, pp. 253-269.
- Clarke, J. I. (1996): Morphometry from Maps, Essays in Geomorphology, Elsevier publication. New York, pp. 235-274.
- 27. CSE Report (1991): Annual Mayhem in Assam in A. Agarwal and S. Narain (Series ed), Floods, Flood plains and Environmental Myths, pp. 71-94.
- 28. Dadhwala, V. K., Aggarwal, S. P. and Mishra, Nidhi (2010): Hydrological simulation of Mahanadi river basin and impact of Land use / Land Cover change on surface runoff using a macro scale hydrological model, In: Wagner W., Székely, B. (eds.): ISPRS TC VII Symposium 100 Years ISPRS, Vienna, Austria, IAPRS, Vol. XXXVIII, Part 7B.
- 29. Das (2010): Fluvial processes in the floodplains of Subansiri river and their impact on arable land, unpublished PhD thesis, Jawaharlal Nehru University.

- David R. Montgomery and Drew B. Stolar (2006): Reconsidering Himalayan river anticlines, Geomorphology, Vol. 82, No. 1, pp. 4–15.
- Department of Planning, Govt. Of Arunachal Pradesh (2010-11): Annual Plan' 2010-11.
- 32. Devi, S. and Goswami, D.C. (2014): The Subansiri river basin in eastern Himalayas and the Alaknanda river basin in western Himalayas: a comparative study in regard to their geo-environment and hydrometeorology, International Journal of Environmental Sciences, Vol. 5, No. 1, pp. 135-143.
- 33. Devi, S. and Goswami, D.C. (2015): Morphometric characterization of Gayung and Sipu subbasins of the Subansiri River of the Eastern Himalayas, International Journal of Geomatics and Geosciences, Vol. 5, No. 3, pp. 482-491.
- 34. Devi, S. and Goswami, D.C. (2015): The Subansiri River Basin Of Eastern Himalaya And The Alaknanda River Basin Of Westrn Himalaya: A Comparative Geomorphic Study Using GIS And Remote Sensing, International Journal Of Engineering And Science, Vol. 4, No. 2, pp. 33-39.
- 35. Devi, S. and Goswami, D.C. (2015): A comparative analysis of selected environmental parameters of water quality of the Subansiri River in eastern Himalayas and the Alaknanda River in western Himalayas, International Journal

of Scientific Research in Science, Engineering and Technology, Vol. 1, No. 4, pp. 326-332.

- 36. Dhankar, Vivek and Asha (2015) : Snow Cover and Snowline Altitude Variations in Alaknanda Basin, Uttarakhand, Central Himalayas, International Journal of Science and Research, Vol. 4, No. 2, pp. 546-551.
- 37. Dobhal, D. P., Gergan, J. T., and Thayyen, Renoj J.(2004): Recession and morphogeometrical changes of Dokriani glacier (1962–1995) Garhwal Himalaya, India; research articles, current science, Vol. 86, No. 5, pp. 692-696.
- 38. Dobhal, D. P., Gupta, Anil K., Mehta, Manish and Khandelwal, D. D. (2013): Kedarnath disaster: facts and plausible causes, Scientific Correspondence, Current Science, Vol. 105, No. 2, pp. 171-174.
- 39. Dubey, S.K., Pranuthi, G. and Tripathi, S.K. (2012): Relationship between NDVI and Rainfall Relationship over India, International Journal of Water Resources and Environmental Sciences, Vol. 1, No. 4, pp. 102-108.
- 40. Dutt Laxmi (1998): Ata Gad Basin of the Alaknanda drainage system: A geographical study of landforms and landuse management, unpublished PhD thesis, Garwhal University, Kumaun, Garhwal, Uttaralhand.

- 41. Dutta, Ranjit and Sarma, Sarada Kanta (2012): Lower Subansiri Hydroelectric Power Project and future of the Subansiri River Ecosystem, Scholars Research Library, Annals of Biological Research, Vol. 3, No. 6, pp. 2953-2957.
- 42. Expert Group of Gauhati University, IIT Guwahati and Dibrugarh University (2010): Downstream Impact Study of the ongoing lower Subansiri Hydroelectric Power Corporation at Gerukamukh of National Hydroelectric Power Corporation Limited.
- 43. Gajbhiye, S. and Sharma, S. K. (2012): Land Use and Land Cover change detection of Indra river watershed through Remote Sensing using Multi-Temporal satellite data, International Journal of Geomatics and Geosciences, Vol. 3, No. 1, pp. 89-96.
- 44. Gansser, A (1964): Geology of the Himalayas, Interscience Publishers, John Wiley & Sons Ltd., London.
- 45. Gautam, Mahesh R., Timilsina, Govinda R., Acharya, Kumud (2013): Climate change in the Himalayas current state of knowledge, The World Bank Development Research Group Environment and Energy Team.
- 46. G.B. Pant Institute of Himalayan Environment & Development, Uttarakhand (2007): Geo-Hydrological Studies for Augmentation of Spring Discharge in the Western Himalaya, Final Technical Report.

- 47. Geological Survey of India (2010): Geology and Mineral Resources of Arunachal Pradesh, No. 30, part IV, Vol. I(i).
- 48. Ghani, M.U. (2001) Participatory strategy for flood mitigation in east and northeast India: case study of the Ganges–Brahmaputra–Meghna Basin, http://ssvk.org/koshi/analytical\_articles/participatory\_strategy\_for\_flood\_mitigat ion.pdf.
- 49. Ghosh, Shyamal and Dutta, Subashisa (2012): Impact of Climate and Land Use Changes on the Flood Vulnerability of the Brahmaputra Basin, Journal of earth system and science, Vol. 53, No.3, pp. 637–657.
- 50. Goswami, D. C. (1985): Brahmaputra River, Assam, India: Physiography, Basin Denudation and Channel Aggradation. Water Resource Research (Amer. Geophys. Union), Vol. 21, No. 7, pp. 959-978.
- 51. Goswami, D. C. (1998): Fluvial regime and flood hydrology of the Brahmaputra River, Assam in V.S. Kale (ed) Flood Studies in India, Memoir 41, Geological Survey of India, Bangalore.
- 52. Goswami, D. C. (2008): Managing the Wealth and Woes of the River Brahmaputra,www.indiafolklore.org/journals/index.php/Ish/article/download/44 9/514.

- Goswami, U., Sarma, J. N., Patgiri, A. D. (1999): River channel changes of the Subansiri in Assam, India; Geomorphology, Vol. 30, No. 3, pp. 227-244.
- 54. Gogoi, C. (2013): Environmental geomorphology and natural hazards of the Lower Subansiri basin: A study for its sustainable development, Unpublished P.hD thesis, Gauhati University.
- 55. Gogoi, C. and Goswami, D. C. (2013): Flood risk zone mapping of the Subansiri sub-basin in Assam, India; International Journal of Geomatics and Geosciences, Vol. 4, No. 1, pp. 75-88.
- 56. Gogoi, C. and Goswami, D.C. (2014): A study on channel migration of the Subansiri river in Assam using remote sensing and GIS technology, Current science, Vol. 106, No. 8, pp. 1113-1120.
- 57. Gregory, K. J. and Walling, D. E. (1973): Drainage basin form and process: a geo-morphological approach. Edward Arnold, London.
- Hasan, Ozdemir (2012): Geomorphometric Analysis of Albania River Basins IBAC, vol.2, pp. 155.
- Hasnain, S. I. (1999): Himalayan Glaciers: Hydrology and Hydrochemistry.
  Allied Publication Limited, New Delhi.

- 60. Hem, J. D. (1991): Study and Interpretation of the Chemical Characteristics of Natural Water, 3<sup>rd</sup> Edition, Scientific Publishers, Jodhpur, pp. 64.
- Horton,R.E. (1932): Drainage basin characteristics, Transactions of American G eophysical Union, Vol. 13, pp. 350-361.
- 62. Horton, R. E. (1945): Erosional development of streams and their drainage basins; hydrophysical approach to quantitative morphology: Geological Society of America Bulletin, Vol. 56, pp. 275-370.
- 63. http://www.britannica.com/EBchecked/topic/278941/hydrometeorology.
- 64. http://www.britannica.com/EBchecked/topic/392823/morphometric-analysis.
- 65. Immerzeel, Walter W., Beek, L. P. H. Van, Konz, M., Shrestha, A. B. and Bierkens, M. F. P. (2012): Hydrological response to climate change in a glacierized catchment in the Himalayas, Climatic Change, Vol. 110, pp. 721– 736.
- 66. Ives, Jack D. and Messerli Bruno (1989): The Himalayan Dilemma. Published by Routledge 11 New Fetter Lane, London EC4P 4EE 29 West 35<sup>th</sup> Street, New York, NY 10001, pp. 16.

- 67. Jasrotia, A. S., Kumar, Ajay, Aasim, Mohd (2012): Morphometric analysis and hydrogeomorphology for delineating groundwater potential zones of western Doon valley, Uttarakhand, India; International Journal of Geomatics and GeoSciences, Vol. 2, No. 4, pp. 1078-1092.
- 68. Karan, P.P. (1966): Himalayas Landforms, https://www.repository.cam.ac.uk/bitstream/id/637777/bot\_03\_02\_01.pdf.
- 69. Kayal, J. R. (2014): Seismotectonics of the great and large earthquakes in Himalaya, Current Science, Vol. 106, No. 2, pp. 188-197.
- 70. Khanduri (2011): GIS & Remote Sensing Technology in Geomorphic analysis of Mandakini River Basin, Garhwal Himalaya, Rudraprayag District, Uttarakhand, India, International journal of Advanced Scientific and Technical Research, Vol. 2, No. 1, pp. 138-145.
- Krishnan, M. S. (1954): General report of the GSI for the year 1952, Records of Geological Survey of India, Vol. 86, No. 1.
- 72. Kumar et al.(2014): Sustainability Assessment of Human Intervention in terms of Hydroelectric Project on Alaknanda River Valley, International Journal of Research, Vol-1, No.-5, pp. 651-662.

- 73. Kumar, K., Joshi, S. and Joshi, V. (2008 a): Climate variability, vulnerability, and coping mechanism in Alaknanda catchment, Central Himalaya, India. AMBIO Vol. 37, pp. 286-291.
- 74. Kumar, R., Shai, A. K., Kumar, Krishna K., Patwardhan, S. K., Mishra, P. K., Rewadhar, J. V., Kamal, K. and Pant, G. B. (2006): High resolution climate change scenario for India for the 21<sup>st</sup> century. Current Science, Vol. 90, pp. 334-345.
- 75. Kumar, V., and Jain, S. K. (2009): Trends in seasonal and annual rainfall and rainy days in Kashmir valley in the last centuary, Quaternary International, Vol. 211, pp. 64-69
- 76. Lang, H. (1996): Mountain Ecohydrology: issues and Challenges, Keynote speech delivered at the inaugural session of the International Conference on Ecohydrology of the High Mountain Areas, Kathmandu, Nepal.
- 77. Leopold, Luna B., Wolmam, M. G. and Miller (1964): Fluvial Process in Geomorphology, Dover Publications, INC. New York.
- 78. Liu, X. and Chen, B. (2000): Climate warming in the Tibetan Figureau during recent decades, International Journal of Climatology, Vol. 20, pp. 1729-1742.

- 79. Magesh, N. S., Jitheshlal, K. V., Chandrasekar, N. and Jini, K.V. (2013): Geographical information system-based morphometric analysis of Bharathapuzha river basin, Kerala, India; Applied Water Science, Vol. 3, pp. 470-476.
- Mc Donald, A.T., and Key, D. (1998): Water resources: issues and strategies.
  Harlow, UK: Longman Scientific and Technical.
- 81. Mountain Natural Resources' Division, ICIMOD (1998): Ecohydrology of High Mountain Areas, Proceedings of the International Conference on Ecohydrology of High Mountain Areas, Kathmandu, Nepal, 24-28 March, 1996.
- 82. Nageswara, Rao K., P., Swarna, Latha, P., Arun Kumar, M. Hari Krishna (2010): Morphometric Analysis of Gostani River Basin in Andhra Pradesh State, India Using Spatial Information Technology, International Journal of Geomatics and GeoSciences, Vol. 1, No 2, pp. 181-185.
- 83. National Disaster Management Authority of India (2012) Final Report on Study of Brahmaputra River Erosion and its Control.
- National Institute of Hydrology, Roorkee (2000-01): Snow Cover Estimation in Himalayan Basins Using Remote Sensing.

- 85. Nautiyal, M. D. (1994): Morphometric analysis of a drainage basin, district Dehradun, Uttar Pradesh.; Journal of Indian Society of Remote Sensing, Vol. 22, No. 4, pp. 251–261.
- 86. Negi, G. C. S., Samal, P. K., Kuniyal, J. C., Kothyari, B. P., Sharma, R. K. and Dhyani, P. P. (2012): Impact of Climate Change on the Western Himalayan mountain ecosystem: An overview, Tropical Ecology, Vol. 53, No. 3, pp. 345-356.
- 87. Pahuja, Sanjay and Goswami, D. C. (2006): A Fluvial Geomorphology Perspective on the Knowledge Base of Brahmaputra, pp. 13-14.
- 88. Pareta, Kuldeep and Pareta, Upasana (2011): Quantitative Morphometric Analysis of a Watershed of Yamuna Basin, India using ASTER (DEM) Data and GIS, International Journal of Geomatics and GeoSciences, Vol. 2, No 1, pp. 252-265.
- Poddar, M.C. (1952): Preliminary Report of the Assam Earthquake, 15<sup>th</sup> August, 1950, Bull. Geological Survey of India, Vol. 2, pp. 11-13
- 90. Ramanathan, A.S. (1981): The climatology of the Himalayas.
- 91. Ramsar Wetland Definition, Classification and Criteria for Internationally Important Wetlands, Wetlands of the Arid NT Volume 1 Appendix7,

(http://www.lrm.nt.gov.au/\_\_data/assets/pdf\_file/0013/10462/appendix7.pdf)

- 92. Rao, K. L. (1975): India's Water Wealth. Published by Sujit Mukharjee, Orient Longman Limited, New Delhi, pp. 59-72.
- 93. Rao, K. H. V. Durga, Rao, V. Venkateshwar, Dadhwal, V. K., and Diwakar, P. G. (2014): Kedarnath flash floods: a hydrological and hydraulic simulation study, Research Communications, Current science, Vol. 106, No. 4, pp. 598-603.
- 94. Rao and Sexena (1994): Sustainable Development and Rehabilitation of Degraded Village Lands in Himalaya. Himavikas publication No. 8, Bishen Singh Mahendra Pal Singh, Dehradun, India.
- 95. Rastogi, R. A. and Sharma, T. C. (1976): Quantitative analysis of drainage basin characteristics. Journal of Soil and Water Conservation in India, Vol. 26, pp. 18–25.
- 96. Rudraiah, M., Govindaiah, S. and Srinivas, V. S. (2008): Morphometry using Remote sensing and GIS techniques in the sub-basins of Kagna river basin, Gulburga district, Karnataka, India; Journal of Indian Society of Remote Sensing, Vol. 36, pp. 351-360.

- 97. Sah, M.P. (1993) Himalaya: A specticular Geomorphic features on the earth. Himalayan, Geology, Vol. 14, pp. 1-17.
- 98. Sarkar, A, Singh, R.D. and Sharma (2012): climate variability and trends in part of Brahmaputra river basin, India Water Week2012-Water, Energy and Food Security: Call for solution, 10-14 April.
- 99. Sarmah, V. P., Baruah, D. and Bakalial B. (2013): Wetland medicinal plants in Flood plains of Subansiri and Ranga river of Lakhimpur district, Assam, India; Pelagia Research Library, Asian Journal of Plant Science and Research, Vol. 3, No.3, pp. 54-60.
- 100. Sarma, J.N. (2005): Fluvial process and morphology of the Brahmaputra River in Assam, India, Geomorphology, Vol. 70, pp. 226-256.
- 101. Sati, Archna, Sood, Anchal, Sharma, Shivesh, Bisht, Sandeep and Kumar, Vivek (2011): Bacterial indicators of faecal pollution and physiochemical assessment of tributaries of Ganges River in Garhwal Himalayas, India , RMZ – Materials and Geoenvironment, Vol. 58, No. 2, pp. 129–142.
- 102. Sati, S.P., Sundriyal, Y.P. and Rawat, G.S. (2007): Geomorphic indicators of neotectonic activity around Srinagar (Alaknanda basin), Uttarakhand, Research Communication, Current Science, Vol. 92, No. 6, pp. 824-829.
- 103. Sati, V. P. and Kumar, K. (2004): Uttaranchal: Dilemma of plenties and

scarcities, New Delhi: Mittal Publications. www.vedamsbooks.com/38930.

- 104. Sati, V. P. (2009): The Alaknanda Basin (Uttarakhand Himalaya): A study on enhancing and diversifying livelihood options in an ecologically fragile mountain terrain, http://www.mtnforum.org/rs/ol/browse.cfm?tp=vd&docid=4537\
- 105.Sati, V. P. (2008): Natural Resource Management and Food Security in the Alaknanda Basin of Garhwal Himalaya, India. Peer reviewed proceedings of 'Tropentag 2008' an International Conference, Stuttgart, Germany, http://www.tropentag.uni-goettingen.de/2008/abstracts/full/77.pdf
- 106. Schumm, S. A. (1963): Sinuosity of alluvial rivers in the Great Plains. Bulletin of the Geological Society of America, Vol. 74, pp. 1089–1100.
- 107. Semwel, N. And Akolkar (2006): Water quality assessment of scared rivers of Uttaranchal, Current Science, Vol. 91, No. 4, pp. 486-496.
- 108.Sharma, K., Moore, B., Vorosmarty, C. (2000): Anthropogenic, climatic, and hydrologic trends in the Koshi basin, Himalaya, Climate Change, Vol. 47, pp. 141-165.
- 109. Shrestha, A. B., Wake, C. P., Mayewski, P. A. and Dibb, J. E. (1999):

Maximum temperature and trends in the Himalaya and its vicinity : An analysis based on temperature records from Nepal from period 1971-94, Journal of Climate, Vol. 12, pp. 2775-2787.

- 110.Shrestha, A. B., Wake, C.P., Dibb, J.E. and Mayewski, P.A. (2000): Precipitation fluctuations in the Nepal Himalaya and its vicinity and relationship with some large scale climatological parameters, International Journal of Climatology, Vol. 20, pp. 317-327.
- 111.Shrestha Uttam Babu, Gautam Shiva and Bawa Kamaljit S. (2012): Widespread Climate Change in the Himalaya and Associated Changes in Local Ecosystems, PLoS ONE www.plosone.org, Vol. 7, No.5.
- 112. Shukla, D. P., Dubey, C. S, Ningreichon, A. S., Singh, R. P., Mishra, B. K. & Singh, S. K. (2014): GIS based morpho-tectonic studies of Alaknanda river basin: A precursor for hazard zonation, Natural Hazards, Journal of the International Society for the Prevention and Mitigation of Natural Hazards, Vol. 71, No. 3, pp. 1433–1452.
- 113.Shukla, S.P, Siddiqui, M. A. (1999): Recession of the snout front of Milam Glacier, Goriganga valley, District Pithoragah, Uttar Pradesh, In:Symposium on snow, ice and glaciers. A Himalayan Perspective. Geological Survey of India, (In: Abst. Vol.), pp. 27-29.

- 114. Singh, Abhay Kumar and Hasnain, Syed I. (1998): Major ion Chemistry and weathering control in a high altitude basin: Alakananda River, Garhwal Himalaya, India; Journal of hydrological Science, Vol. 43, No. 6, pp. 226-228.
- 115.Singh, Pratap and Jain, S. K. (2003): Modeling of stream flow and its component for a large Himalaya with predominant snowmelt yields, Journal of hydrological Science, Vol. 48, No. 2, pp. 258.
- 116.Singh, S. P., Singh, V., and Skutsch. (2010): Rapid warming in Himalayas:Ecosystem responses and development options, Climate & Development, Vol. 2, pp. 1-13
- 117.Singhal, Kishore Kumar (1998): Studies on Some Aspects of Geomorphology in Alaknanda River Basin, Kumaon Himalaya Uttar Pradesh, University of Delhi, New Delhi.
- 118. Smith, K. G. (1950): Standards for grading texture of erosional topography, American Journal of Science, Vol. 248, No. 9, pp. 655-668.
- 119.Sreedevi, P. D., Owais S., Khan H.H. and Ahmed S. (2009): Morphometric Analysis of a Watershed of South India Using SRTM Data and GIS. Journal of the Geological Society of India, Vol. 73, pp. 543-552.

- 120.Strahler, A. N. (1964): Quantitative geomorphology of drainage basins and channel networks. Chapter 4 in: Handbook of Applied Hydrology (ed. By V. T. Chow), McGraw-Hill, New York.
- 121. Sundriyal, Y. P., Tripathi, Jayant K., Sati, S. P., Rawat, G. S. and Srivastava, Pradeep (2007): Landslide-dammed lakes in the Alaknanda Basin, Lesser Himalaya: Causes and implications; Current science, Vol. 93, No. 4.
- 122. Times of India. (2009): Daily English newspaper published from Delhi, Report on Wildlife Act of India, Sep 30.
- 123. Thayyen, R.J. and Gergan, J.T. (2009): Role of glaciers in watershed hydrology:"Himalayan catchment" perspective; The Cryosphere Discuss., Vol. 3, pp. 443–476.
- 124. The Assam Tribune (2015): Daily English newspaper published from Assam, Article on Damming the dam talks, Feb.9.
- 125. Tyagi, A. K., Chaudhary, Shipra, Rana, N., Sati, S. P., andJuyal, N. (2009):Identifying areas of differential uplift using steepness index in the Alaknanda basin, Garhwal Himalaya; Current Science, Vol. 97, No. 10, pp. 1473-1477.
- 126. Vedwan, Neeraj and Rhoades, Robert E. (2001): Climate change in the Western Himalayas of India: A study of local perception and response; Climate Research, Vol. 19, pp. 109-117.

- 127. Vagholikar, Neeraj and Das, Partha J. (2010): Damming Northeast India.
- 128. Valdiya, K. S. (1980): Geology of Kumaun Lesser Himalaya, Interim Record: Dehradun, Wadia Institute of Himalayan Geology, pp. 289.
- 129.Valdiya, K. S. (1985): Lesser Himalayan geology: Crucial problems and controversies; Current Science, Vol. 52, No. 18.
- 130. Valdiya, K. S. (1985): Himalayan tragedy. Big dams, seismicity, erosion and drying-up of springs in the Himalayan region; Central Himalayan Environment Association Bulletin, 1, pp. 1–24.
- 131. Valdiya, K. S. (1998): Dynamic Himalaya, Universities Press.
- 132. Verstappen, H. (1983): The Applied Geomorphology. International Institute for Aerial Survey and Earth Science (ITC), Enschede, The evaluation of Morphmetric Characteristics of Kotmale Reservoir catchment using GIS as a tool, Sri Lanka.
- 133. Wadia Institute of Himalayan Geology, ICIMOD, APN, START and UNEP (2005): Uttaranchal Himalaya India; Inventory of Glaciers and Glacial Lakes and the Identification of Potential glacial Lake Outburst Flood (GLOFs) Affected by Global Warming in the Mountains of Himalayan Region.

- 134. Wakeel, A., Rao, R.K., Maikhuri, K.S. and Saxena, K.G. (2005): Forest management and land use/cover changes in a typical micro watershed in the mid elevation zone of Central Himalaya, India. Forest Ecology and Management, Vol. 213, pp. 229–242.
- 135.Walder, G. (2000): Tourism development and environmental management in Nepal: A study of Sagarmatha National Park and the Annapurna Conservation Area Project, with special reference to Upper Mustang. M.Sc. Thesis, The International Centre for Tourism and Hospitality Management, Bournemouth University.
- 136.Wang et al. (2003): Temporal responses of NDVI to precipitation and temperature in the central Great Plains of USA, International Journal of Remote Sensing, Vol. 24, No. 11, pp. 2345-2364.
- 137.Wasson, R.J., Juyal, N., Jaiswal, M., McCulloch, M., Sarin, M.M., Jain, V., Srivastava, P., Singhvi, A.K. (2007): The mountain-lowland debate: Deforestation and sediment transport in the upper Ganga catchment, Journal of Environmental Management, Vol. 88, pp. 53–61.
- 138. Yeats, et al. (1992): The Himalayan Frontal Fault System, Annals Tectonicae, Vol. 6 (suppl.), pp. 85-98.

- 139.Yu, haiying , Joshi, P. K., Das, K.K., Chauniyal, D. D., Melick, David R., Yang, Xuefei and Xu, Jianchu (2007): Land use/cover change andenvironmental vulnerability analysis in Birahi Ganga sub-watershed of the Garhwal Himalaya, India; Tropical Ecology, Vol. 48, No. 2, pp- 241-250.
- 140.Ziegler, Alan D., Wasson, Robert J., Bhardwaj, Alok, Sundriyal, Y. P., Sati, S. P., Juyal, Navin, Nautiyal, Vinod, Srivastava, Pradeep, Gillen, Jamie, Saklani, 153. Udisha (2014): Pilgrims, progress, and the political economy of disaster preparedness the example of the 2013 Uttarakhand flood and Kedarnath disaster, Hydrological Processes, Published online in Wiley Online Library (wileyonlinelibrary.com). DOI: 10.1002/hyp.10349